

Powered by Telecom Logic group

DFS CDMA  
Professional CDMA Software

**Smart Belize Wireless**

**smart!**



## Connect Apple iPhone 4 or iPad 2 CDMA to DFS


1. Jailbreak **iPhone 4 CDMA**
2. Install **openSSH**
3. Connect **iPhone 4 CDMA** to **Wi-Fi**:



4. Connect **iPhone 4 CDMA** to **USB-cable**:



5. Run **CDMA Tool**. Open **Ports Manager** from DFS:



- Network verification...



**Network adapters**

192.168.1.103 Apple port [192.168.1.103]

- After building apple port the **iPhone 4 CDMA**, you need to add the Port (double-click)


**Network adapters**

192.168.1.103 Apple port [192.168.1.103]


- In the log of the program will wait until the iPhone ID:

```
Apple port [192.168.1.103] Security delegate initialization... id:0000000000000000
Apple port [192.168.1.103] Security delegate initialization... id:0000000000000000
Apple port [192.168.1.103] ID A100001C8133F3
```

6. Go to the **Account** management:





On the balance (\$50) shall be the amount necessary for the operation:




- Push the button **Get ID**




- Push the button **Activate**, confirm **Yes**




## You are now ready for programming the carrier Smart Belize CDMA Apple Programming – General




## Programming - NAM



### Programming – Data



### Programming – Mobile IP



## 3G is not working:

\* Check in the phone:



\* Check that the settings stored in the phone:

Tab "**Data**"

After the MDN to be a prefix **UID PPP\PAP\HDR** from **Data - @smart.com**  
Password - **smart**

In the setting of "**Mobile IP**" mode must be enabled - **PrefMobileIP**